Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	reciprocating adj table adj saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/01 09:07
<b>S2</b>	1948	reciprocating adj saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/01 09:25
<b>S</b> 3	22	table near (jig adj saw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/01 09:26
S4	11	(("4608893") or ("5666872") or ("6575070") or ("3939741") or ("4536145")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/06 10:34.
S5	32	collapsible adj table adj legs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:36
S6	37076	Work adj surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/09/06 10:36
S7	1153	Work adj surface near table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:36
S8	117	Work adj surface near table with place\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:39
S9	28	attachable adj work adj surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:43

S10	0	motot adj mount with cam\$4 adj lever with latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:44
S11	1	motor adj mount with cam\$4 adj lever with latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/09/06 10:44
S12	2	motor adj mount with cam\$4 adj lever	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:44
S13		motor adj mount with cam\$4 with latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:45
S14	4	(("4757735") or ("4458569")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/20 11:29
S15	6	(("2695638") or ("6925919")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/20 11:33
S16	9	("2695638").URPN.	USPAT	OR	ON	2005/12/20 15:09
S17	1274	(work adj (bench or table)) with (plate or panel or slab)	USPAT	OR	ON	2005/12/20 15:11
S18	751	(work adj (bench or table)) with (plate or surface or slab ot panel) with (rail\$1 or support\$1)	USPAT	OR	ON	2005/12/20 15:12
S19	96	(work adj (bench or table)) with (plate or surface or slab ot panel) with (rail\$1 or support\$1) with (blade or saw or cut\$4)	USPAT	OR	ON	2005/12/20 15:28
S20	14	reciprocat\$4 with table adj saw	USPAT	OR	ON	2005/12/20 15:28
S21	7	("1861162"   "2779359"   "4123957"   "4320679").PN. OR ("4458569"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:34

						•
S22	25	("0548453"   "0825321"   "1512781"   "2457829"   "3273613"   "3864830"   "4458569"   "4592144"   "4785536"   "5027518"   "5313709"   "5435066"   "5561909"   "5607265"   "5692426"   "5791224").PN. OR ("6256891"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:36
S23	6	("2457829").URPN.	USPAT	OR	ON	2005/12/20 15:45
S24	11	(("4608893") or ("5666872") or ("6575070") or ("3939741") or ("4536145")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/21 09:48
S25	9	(Reciprocating or jig) adj saw with bracket near mount\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	Ю	2005/12/21 09:48
S26	168	(reciprocating adj saw) with (adjustable or angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/12/21 10:05
S27	94	"144"/\$.ccls. and reciprocating adj saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/21 10:07
S28	54	reciprocating adj saw with (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/12/22 10:05
S29 .	140	(work adj (table or bench) with mounting near plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/21 10:10
S30	0	reciprocating adj saw with oscillate with degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:06
S31	5	reciprocating adj saw with oscillate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:07

		LASI Searce	ıı ınıscoı y			
S32	12	saw with oscillate with degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:08
S33	961	saw and oscillat\$3 with degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:09
S34	100	saw with oscillat\$3 with degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	. OR	ON	2005/12/22 10:09
S35	97	saw with oscillat\$3 with degree\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:43
S36	24	saw with degree\$1 near blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:44
S37	28	saw with adjustable with angle near blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:54
S38	143	83/568.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:24
S39	3254	quick adj release near mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:25
S40	3107	quick adj release adj mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:25
S41		quick adj release adj mechanism with bracket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:28

		•				
S42	. 1	quick adj release adj mechanism with mount with (saw or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:28
S43	16	quick adj release adj mechanism with (mount\$3 or bracket) with (saw or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:33
S44	15	quick adj release adj mechanism with saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/12/22 11:35
S45	11	quick adj release adj mechanism with tool with change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	.2005/12/22 11:36
S46	186	quick adj release adj mechanism with tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:39
S47	28	quick adj release with tool near chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:38
S49	1620	quick adj release with handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/12/22 13:38
S50	134	quick adj release with handle with tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:56
S52	2	mounting near plate with saw with (cast or weldment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:58
S53	789	mounting near plate with (cast or weldment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/12/22 13:58


S54	736	mounting adj plate with (cast or weldment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:58
S55	20	mounting adj plate with (cast or weldment) with (tool or saw or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:59
S56	9	("4484608"   "4635692"   "4679606"   "4774986"   "4977938"   "5289861"   "5398740"   "6305447"   "6382276").PN. OR ("6520224").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:04
S57	0	(cast or weldment) with ("4484608"   "4635692"   "4679606"   "4774986"   "4977938"   "5289861"   "5398740"   "6305447"   "6382276").PN. OR ("6520224"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:04
S58	0	(cast or weldment or material) with ("4484608"   "4635692"   "4679606"   "4774986"   "4977938"   "5289861"   "5398740"   "6305447"   "6382276").PN. OR ("6520224"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:04
S59	8	(cast or weldment or material) and ("4484608"   "4635692"   "4679606"   "4774986"   "4977938"   "5289861"   "5398740"   "6305447"   "6382276").PN. OR ("6520224"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:09
S60	0	rue.in. near jerru	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:09
S61	3	rue.in. near jerry	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:29
S62	611	(83/574).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/22 14:29
S63		("5725038").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/01 17:56

S64	25	("2615479"   "2776682"   "5025841"   "5289861"   "5398740").PN. OR ("5725038").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/01 17:56
S65	2	("2949943").URPN.	USPAT	OR	ON	2006/05/01 18:01
S66	560	83/471.3.ccls.	USPAT	OR	ON	2006/05/02 10:55
S67	60	83/472.ccls.	USPAT	OR	ON	2006/05/02 11:04
S68	301	144/130.ccls.	USPAT	OR	ON	2006/05/02 11:06
S69	178	144/146.ccls.	USPAT	OR	ON	2006/05/02 11:07
S70	84	144/147.ccls.	USPAT	OR	ON	2006/05/02 11:27
S71	399	30/392.ccls.	USPAT	OR	ON	2006/05/02 11:27
S72	20	30/392-394.ccls. and ((angle or degree\$1) near (blade or adjustable))	USPAT	OR	ON	2006/05/02 11:30
S73	1	"3,802,079".pn.	USPAT	OR	ON	2006/05/02 11:30

| Home | Membership Logic



	·			
Products . Cordl	ess . Woodworking . Jobsite S	ecurity	. Gear/Guides	Racing/Events Servi
Product Catalog All Pr	oducts at a Glance New Produc	ts Prod	uct Virtual Tours	Testimonials Warran:
Search	Advanced Search			All Products at a
	Z			May 2
├ You Are Here: Product Cate	alog > <u>Saws</u> > <u>Reciprocating Saw</u>	<u>/S</u>		Related Acce
Heavy-Duty Reciprocating S	aw Kit - DW309K			Reciprocatin Blades
	View attachments for this tool	JEJ, Pr	inter-friendly version	



#### Features:

Download User Manual (PDF)

- Powerful 11.8 Amp motor designed for heavy-duty applications
- Lever-action keyless blade clamp for quick and easy blade changing

Email this tool to a friend

- Counter-balance mechanism minimizes vibration and reduces user fatigue
- 0-2,900 strokes per minute and 1-1/4" stroke length deliver fast cutting
- Variable speed dial and trigger provide effecient cutting speed with improved control
- Push-button adjustable shoe easily adjusts depth of cut and extends blade life



Saw Kit

Related Tools


Heavy-Duty F

**DW307MK** 

Click To Enlarge Photo



See more detailed photos on this product



### Warranty Information

### SPECIFICATIONS

11.8 Amps Amps 0-2,900 spm Strokes/Min Stroke Length 1-1/4 ' Keyless Blade Clamp Yes 4 Position Blade Clamp N/A N/A Orbital Action Yes Counter Balance Adjustable Shoe Yes Variable Speed Dial Yes 17.5 " Tool Length 8.4 lbs **Tool Weight** 

#### Includes:

- metal cutting blade
- heavy-duty kit box

To send this	page	to a	friend,	just	ente
the email add	dress	belo	w.		

Your email:

Friend's email:

Message:

I thought you might be interested in

#### Or, you can also print this page.

Click the button below to bring up a new "printer-friendly version" window to print this page.



May 2

Related Acces




Products . Cordless . Woodworking . Jobsite Security . Gear/Guides . Racing/Events . Servi Product Catalog All Products at a Glance New Products Product Virtual Tours Testimonials Warrant All Products at a Advanced Search Search


You Are Here: Product Catalog > Saws > Jig Saws

Heavy-Duty Variable Speed Top-Handle Jigsaw - DW331K

b View attachments for this tool









#### Features:

- Powerful 6.5A motor delivers the cutting power for the most demanding materials
- Variable strokes per minute delivers optimal cutting speed for all applications
- Lever-action keyless blade change makes blade replacement fast and easy
- All metal gear case and keyless blade lever enhance tool durability in a professional shop environment
- 4-position orbital action allows for faster, more aggressive cuts
- Innovative flush cutting blade system allows for the completion of flush cuts without up cutting
- Positive bevel detents ensure accuracy at the most common angles 0, 15, 30, and 45
- Counter-balance mechanism reduces vibration and
- Extra-large rubber grip dampens vibration and provides comfort during prolonged use
- Integrated dust blower maintains visibility of cut line
- Non-marring shoe cover protects soft or glossy materails from scratches from the shoe


#### Warranty Information

### **SPECIFICATIONS**

Strokes/Min 500-3,100 spm Stroke Length Yes Keyless Blade Clamp **Dust Blower** Yes **Orbital Action** 4 position 6.4 lbs Tool Weight 10.5 lbs Shipping Weight 6.5 Amps Amps

#### Includes:

- blades
- heavy-duty kit box



| Home | Membership Logii

Products . Cordless . Woodworking . Jobsite Security . Gear/Guides . Racing/Events . Servi

Product Catalog | All Products at a Glance | New Products | Product Virtual Tours | Testimonials | Warrani

Search Advanced Search

সু <u>All Products at a</u>

Ма

You Are Here: Product Catalog > Saws > Jig Saws

Heavy-Duty XRP™ 18V Cordless Jig Saw Kit with Keyless Blade Change - DC330K

▶ View attachments for this tool

Printer-friendly version


Email this tool to a friend




Blades

Related Acces

Jigsaw/ Sabr



① Click To Enlarge Photo





#### Features:

- All-metal lever-action keyless blade change allows for quick and easy blade changes
- All-metal keyless shoe bevel with detents at O, 15, 30 and 45 degrees provides versatility for easy bevel cutting
- 4-Position orbital action provides control of cut quality and speed
- Adjustable dust blower keeps line of cut clear of chips
- Variable speed 0-3,000 SPM for versatility in a multitude of materials and applications
- XRP™ extended run-time battery provides long runtime & battery life
- Anti-slip comfort grip for increased comfort and control
- Warranty Information

#### **SPECIFICATIONS**

Voltage Strokes/Min Stroke Length Keyless Blade Clamp Dust Blower Tool Weight Shipping Weight

#### Includes:

- 1 hour charger
- 18V XRP™ battery pack
- jig saw blades
- heavy-duty kit box





Related Tools

DC5KITA
Heavy-Duty X
Cordless
Hammerdrill/I
Saw/Reciproc
Saw/Flexible
Kit



DC987KA
Heavy-Duty X
1/2" (13mm) 1
Drill/Driver Kit



DC618KA Heavy-Duty X 16 Gauge 20' Nailer Kit





